

IN THE CLAIMS:

Please cancel claims 14-16, 37-40, and 44-50.

Please amend the following claims 1, 3, 7, 8, 10, 11, 13, 17, 18, 20, 27-36, 41, 51-53. Please add new claim 54.

B₁

1. (Twice Amended) An apparatus comprising:
a first key;
a first non-opaque glyph of a first color disposed on said first key;
a second non-opaque glyph of a second color disposed on said first key;
a light source oriented towards the first key, the light source capable of providing light of a third color or a fourth color, the third color being relatively closer to a complementary color to said first color than to said second color, and the fourth color being relatively closer to a complementary color to said second color than to said first color; and

B₂

2. (Twice Amended) The apparatus as recited in claim 1, wherein said light source selector selects either said third color or said fourth color responsive to a selection of a function associated with said second glyph or said first glyph.

3. (Once Amended) The apparatus as recited in claim 1, wherein regions of the first key not comprising a glyph are white.

4. (Once Amended) The apparatus as recited in claim 1, wherein regions of the first key not comprising a glyph are black.

B

132 cont
5/8. (Once Amended) The apparatus as recited in claim 1, wherein the first key is translucent.

6/10. (Twice Amended) The apparatus as recited in claim 5/6, wherein said first and second glyphs on the first key are transparent.

7/8. (Twice Amended) The apparatus as recited in claim 5/6, wherein said first and second glyphs on the first key are translucent.

8/8. (Once Amended) The apparatus as recited in claim 1, wherein the first key is transparent.

9/10. (Twice Amended) The apparatus as recited in claim 8/8, wherein said first and second glyphs on the first key are translucent.

10/11. (Twice Amended) The apparatus as recited in claim 1, further comprising:

a third non-opaque glyph of a fifth color disposed on said first key;
wherein the light source is capable of providing light of a sixth color, the sixth color being relatively closer to a complementary color to said fifth color than to said first color or said second color, the light source selector to select between said third color, said fourth color and said sixth color to increase contrast between said first glyph, said second glyph and said third glyph.

11/12. (Once Amended) The apparatus as recited in claim 10/11, wherein the glyphs on two or more of the plurality of keys are transparent.

¹²
~~13~~. (Twice Amended) The apparatus as recited in claim ¹⁰~~11~~, wherein the first glyph, second glyph and third glyph are translucent.

- cont
- | |
|-----------------|
| 14. (Cancelled) |
| 15. (Cancelled) |
| 16. (Cancelled) |

¹³
~~17~~. (Twice Amended) The apparatus as recited in claim 1 wherein the light of the third color is complementary to the light of the first color and wherein the light of the fourth color is complementary to the light of the second color.

¹⁴
~~18~~. (Twice Amended) The apparatus as recited in claim 1 wherein the selected type of light decreases the visual contrast between a corresponding glyph and the remainder of the key over the visual contrast between a non-corresponding glyph and the remainder of the key.

¹⁵
~~19~~. (Once Amended) The apparatus as recited in claim ¹⁴~~18~~, wherein the selected type of light is of a complementary color to the color of the corresponding glyph.

¹⁶
~~20~~. (Twice Amended) The apparatus as recited in claim 1 wherein the selected wavelength of the light source decreases the visual contrast between a glyph corresponding to the type of light selected and the remainder of the key over the visual contrast between a non-corresponding glyph and the remainder of the key.

B2
(cont)

~~17~~
21. (Unchanged) The apparatus as recited in claim 1, wherein the light source is a light emitting diode ("LED").

~~18~~
22. (Once Amended) The apparatus as recited in claim 1, wherein the light source is at least one of a group consisting of: a fluorescent light source, a laser light source, an incandescent light source, an ultraviolet light source, or an infrared light source.

~~19~~
23. (Once Amended) The apparatus as recited in claim 1, wherein the light source is under the first key.

~~20~~
24. (Once Amended) The apparatus as recited in claim 1, wherein the light source is above the first key.

~~21~~
25. (Once Amended) The apparatus as recited in claim 1, wherein the light source is toward a side of the first key.

~~22~~
26. (Once Amended) The apparatus as recited in claim 1, wherein the light source is located inside the first key.

C

~~23~~
27. (Twice Amended) The apparatus as recited in claim further comprising:

a plurality of additional keys forming a keyboard.

~~24~~
28. (Twice Amended) The apparatus as recited in claim 1, wherein the light source selector is a second key.

²⁵
~~29~~. (Twice Amended) The apparatus as recited in claim 1 wherein the light source selector is voice activated.

B₂
(cont)
²⁶
~~30~~. (Twice Amended) The apparatus as recited in claim 1 wherein the light source selector is a portion of a touch-screen.

²⁷
~~31~~. (Twice Amended) The apparatus as recited in claim 1 wherein the light source selector is implemented in software.

²⁹
~~32~~. (Twice Amended) A method comprising:
providing a key wherein the key includes a first non-opaque glyph of a first color and a second non-opaque glyph of a second color; and

providing a light source oriented towards the first key, the light source capable of providing light of a third color or a fourth color, the third color being relatively closer to a complementary color to said first color than to said second color, and the fourth color being relatively closer to a complementary color to said second color than to said first color; and

selecting between said third color and said fourth color to increase contrast between said first glyph and said second glyph.

³⁰
~~33~~. (Twice Amended) The method as recited in claim ²⁹~~32~~, wherein said third color or said fourth color are selected responsive to a selection of a function associated with said second glyph or said first glyph.

31

34. (Twice Amended) The method as recited in claim ~~32~~²⁹ wherein

selection of said third color causes the first glyph to have an increased contrast when compared to the second glyph.

31b

35. (Twice Amended) The method as recited in claim ~~32~~²⁹ wherein

selection of said third color causes the second glyph to have a decreased contrast when compared to the first glyph.

33

36. (Twice Amended) The method as recited in claim ~~38~~³⁰, wherein the

third color is complementary in color to the first color and the fourth color is complementary to the second color.

- 37. (Cancelled)
- 38. (Cancelled)
- 39. (Cancelled)
- 40. (Cancelled)

34

41. (Twice Amended) An apparatus comprising:

a keyboard having a perimeter and comprising a plurality of keys at least one of the plurality of keys having a first non-opaque glyph of a first color and a second non-opaque glyph of a second color disposed thereon;

a light source oriented towards the first key, the light source capable of providing light of a third color or a fourth color, the third color being relatively closer to a complementary color to said first color than to said second color, and

B

B2
(b) the fourth color being relatively closer to a complementary color to said second color than to said first color

a light source to provide light of a third color or a fourth color, the third color being relatively closer to a complementary color to said first color than to said second color, and the fourth color being relatively closer to a complementary color to said second color than to said first color, wherein the light source is located on or outside of the perimeter of the keyboard; and

a glyph selector communicatively coupled to the light source to select between said third color and said fourth color to increase contrast between said first glyph and said second glyph.

³⁵
~~42~~ (Unchanged) The apparatus as recited in claim ~~41~~³⁴ wherein a light ray from the light source is substantially conducted laterally from the perimeter of the keyboard through at least one side of at least one of the plurality of keys.

³⁶
~~43~~ (Once Amended) The apparatus as recited in claim ~~41~~³⁴, wherein a light ray from the light source is substantially conducted laterally through a first key of the keyboard to a second key of the keyboard.

44. (Cancelled)

45. (Cancelled)

46. (Cancelled)

47. (Cancelled)

B2
cont

- 48. (Cancelled)
- 49. (Cancelled)
- 50. (Cancelled)

~~28~~
51.

(Once Amended) The apparatus as recited in claim 1, wherein the first glyph and the second glyph are either symbols, emblems, marks, figures, patterns, characters, letters, digits, or punctuation marks.

~~37~~
52.

(Once Amended) An apparatus comprising:

- a first key;
- a first non-opaque region of a first color disposed on said first key;
- a second non-opaque region of a second color disposed on said first key;
- a light source oriented towards the first key, the light source capable of providing light of a third color or a fourth color the third color being relatively closer to a complementary color to said first color than to said second color, and the fourth color being relatively closer to a complementary color to said second color than to said first color; and
- a light source selector to select between said third color and said fourth color to increase contrast between said first region and said second region.

~~38~~
53.

~~37~~
52

(Once Amended) The apparatus as in claim 52 further comprising:

- a first glyph disposed within said first region; and
- a second glyph disposed within said second region.

B

Please add new claim.

B3 ³⁹ 54. (New) The apparatus as in claim ³⁸ 53 wherein said first glyph and said second glyph are opaque.